

### XLCTMNZB- Mini Rimless Magnetic Track




#### General Data

Lamp Power	16 A
Lenght	1000mm, 2000mm
Trim Color	Black / White
IP Rating	20
Input voltage	48V-50/60Hz

#### Ordering Options

Part Number	Length	Trim color
<b>XLCTMNZB1BL</b>	1000 mm	<b>Black</b>
<b>XLCTMNZB1WH</b>	1000 mm	<b>White</b>
<b>XLCTMNZB2BL</b>	2000 mm	<b>Black</b>
<b>XLCTMNZB2WH</b>	2000 mm	<b>White</b>

#### Dimension Drawing



#### APPLICATIONS

Easy installation of tracks for placing various lamps, providing adaptable and efficient lighting.


#### PRODUCT DESCRIPTION

Recessed Track Magnetic Track 1000mm or 2000mm length version, made of die cast aluminium. Easy installation, moving or removal

#### FIXTURE CONSTRUCTION

Extruded low profile rigid aluminum, Iron board match with magnet, and powder coated.

#### Mini Rimless Track Accessory



#### XLCTMNZBL

Surface mini magnet track L type

### XLCTMNWB - Mini Rimless Magnetic Track




#### General Data

Lamp Power	16 A
Length	1000mm, 2000mm
Trim Color	Black / White
IP Rating	20
Input voltage	48V-50/60Hz

#### Ordering Options

Part Number	Length	Trim color
<b>XLCTMNWB1BL</b>	1000 mm	<b>Black</b>
<b>XLCTMNWB1WH</b>	1000 mm	<b>White</b>
<b>XLCTMNWB2BL</b>	2000 mm	<b>Black</b>
<b>XLCTMNWB2WH</b>	2000 mm	<b>White</b>

#### Dimension Drawing



#### APPLICATIONS

Used with spot lights for high lighting or general lighting in retail, home, office, store .


#### PRODUCT DESCRIPTION

Rimless Track Magnetic Track 1000mm or 2000mm length version, made of die cast aluminium. Easy installation, moving or removal

#### FIXTURE CONSTRUCTION

Extruded low profile rigid aluminum, Iron board match with magnet , and powder coated.


#### Mini Rimless Track Accessory



#### XLCTMNWBL

Surface mini magnet track L type

### XLCTMMMZ - Mini Surface Mounting Magnetic Track




#### General Data

Lamp Power	16 A
Length	1000mm, 2000mm
Trim Color	Black / White
IP Rating	20
Input voltage	48V-50/60Hz

#### Ordering Options

Part Number	Length	Trim color
<b>XLCTMMMZ1BL</b>	1000 mm	<b>Black</b>
<b>XLCTMMMZ1WH</b>	1000 mm	<b>White</b>
<b>XLCTMMMZ2BL</b>	2000 mm	<b>Black</b>
<b>XLCTMMMZ2WH</b>	2000 mm	<b>White</b>

#### Dimension Drawing



#### APPLICATIONS

Surface Mounting used are suitable for both ceiling and wall or general lighting in retail, commercial and Residential..

#### PRODUCT DESCRIPTION

Surface Mounted Magnetic Track 1000mm or 2000mm length version, made of die cast aluminium. Easy installation, moving or removal

#### FIXTURE CONSTRUCTION


Extruded low profile rigid aluminum, Iron board match with magnet , and powder coated.

#### Mini Surface Mounting Track Accessory



#### XLCTMMMZL

Surface mini magnet track L type



#### XLCTMMMT

Surface mini magnet track T type