

### XLCTMNMX - Surface Mounting Magnetic Track




#### General Data

Lamp Power	16 A
Lenght	1000mm, 2000mm
Trim Color	Black / White
IP Rating	20
Input voltage	48V-50/60Hz

#### Ordering Options

Part Number	Length	Trim color
<b>XLCTMNMX1BL</b>	1000 mm	<b>Black</b>
<b>XLCTMNMX1WH</b>	1000 mm	<b>White</b>
<b>XLCTMNMX2BL</b>	2000 mm	<b>Black</b>
<b>XLCTMNMX2WH</b>	2000 mm	<b>White</b>

#### Dimension Drawing



1000/2000

#### APPLICATIONS

Surface Mounting used are suitable for both ceiling and wall or general lighting in retail, commercial and Residential..


#### PRODUCT DESCRIPTION

Surface Mounted Magnetic Track 1000mm/2000mm or 2000mm length version, made of die cast aluminium. Easy installation, moving or removal

#### FIXTURE CONSTRUCTION

Extruded low profile rigid aluminum, Iron board match with magnet , and powder coated.

#### Single Circuit Tracks Accessory



**XLCTMNMXH90**  
L-type horizontal connector for Trimless magnetic track



**XLCTMNMXL90**  
L-type Inner connector for Trimless magnetic track



**XLCTMNMXA90**  
L-type Outer connector for Trimless magnetic track

### XLCTMNWX - Rimless Magnetic Track




#### General Data

Lamp Power	16 A
Length	1000mm, 2000mm
Trim Color	Black / White
IP Rating	20
Input voltage	48V-50/60Hz

#### Ordering Options

Part Number	Length	Trim color
<b>XLCTMNWX1BL</b>	1000 mm	<b>Black</b>
<b>XLCTMNWX1WH</b>	1000 mm	<b>White</b>
<b>XLCTMNWX2BL</b>	2000 mm	<b>Black</b>
<b>XLCTMNWX2WH</b>	2000 mm	<b>White</b>

#### Dimension Drawing



#### APPLICATIONS

Used with spot lights for high lighting or general lighting in retail, home, office, store .

#### PRODUCT DESCRIPTION

Rimless Track Magnetic Track 1000mm or 2000mm length version, made of die cast aluminium. Easy installation, moving or removal

#### FIXTURE CONSTRUCTION


Extruded low profile rigid aluminum, Iron board match with magnet , and powder coated.

#### Rimless Magnetic Track Accessory




#### XLCTMNWXH90

L-type horizontal connector for Trimless magnetic track



#### XLCTMNWXL90

L-type Inner connector for Trimless magnetic track



#### XLCTMNWXA90

L-type Outer connector for Trimless magnetic track

### XLCTMNZX - Recessed Magnetic Track




#### General Data

Lamp Power	16 A
Length	1000mm, 2000mm
Trim Color	Black / White
IP Rating	20
Input voltage	48V-50/60Hz

#### Ordering Options

Part Number	Length	Trim color
<b>XLCTMNZX1BL</b>	1000 mm	<b>Black</b>
<b>XLCTMNZX1WH</b>	1000 mm	<b>White</b>
<b>XLCTMNZX2BL</b>	2000 mm	<b>Black</b>
<b>XLCTMNZX2WH</b>	2000 mm	<b>White</b>

#### Dimension Drawing



#### APPLICATIONS

Easy installation of tracks for placing various lamps, providing adaptable and efficient lighting.


#### PRODUCT DESCRIPTION

Recessed Track Magnetic Track 1000mm or 2000mm length version, made of die cast aluminium. Easy installation, moving or removal

#### FIXTURE CONSTRUCTION

Extruded low profile rigid aluminum, Iron board match with magnet, and powder coated.

#### Recessed Magnetic Track Accessory



#### XLCTMNZXH90

L-type horizontal connector for Trimless magnetic track



#### XLCTMNZXL90

L-type Inner connector for Trimless magnetic track



#### XLCTMNZX90

L-type Outer connector for Trimless magnetic track